

References for *Dietary fats and dietary sterols for cardiovascular health*

1. National Heart Foundation of Australia: Summary of evidence. Dietary fats and dietary cholesterol for cardiovascular health. Melbourne, NHFA, 2009.
2. National Heart Foundation of Australia: A review of the relationship between dietary fat and cardiovascular disease. Aust J Nutr Diet. 56: S5-S22, 1999.
3. National Heart Foundation of Australia: Position statement. Fish, fish oils, n-3 polyunsaturated fatty acids and cardiovascular health. Melbourne, NHFA, 2008.
4. National Heart Foundation of Australia: Position statement on phytosterol/stanol enriched foods. Melbourne, NHFA, 2007.
5. World Health Organisation: Diet, nutrition and the prevention of chronic diseases. Report of the joint WHO/FAO expert consultation. Geneva, WHO, 2003.
6. National Heart Foundation of Australia: Plant sterols and stanols. A position statement from the National Heart Foundation of Australia's Nutrition and Metabolism Advisory Committee, NHFA, 2003.
7. Booker C and Mann J: The relationship between saturated and *trans* unsaturated fatty acids and LDL-cholesterol and coronary heart disease. A review undertaken for Food Standards Australia New Zealand. Canberra, FSANZ, 2005.
8. Mozaffarian D: Effects of dietary fats versus carbohydrates on coronary heart disease: a review of the evidence. Curr Atheroscler Rep. 7: 435-45, 2005.
9. Mensink RP, Zock PL, Kester AD and Katan MB: Effects of dietary fatty acids and carbohydrates on the ratio of serum total to HDL cholesterol and on serum lipids and apolipoproteins: a meta-analysis of 60 controlled trials. Am J Clin Nutr. 77: 1146-55, 2003.
10. Muller H, Kirkhus B and Pedersen JI: Serum cholesterol predictive equations with special emphasis on trans and saturated fatty acids. An analysis from designed controlled studies. Lipids. 36: 783-91, 2001.
11. Van Horn L, McCoin M, Kris-Etherton PM, Burke F, Carson JA, Champagne CM, Karmally W and Sikand G: The evidence for dietary prevention and treatment of cardiovascular disease. J Am Diet Assoc. 108: 287-331, 2008.
12. Ascherio A, Katan MB, Zock PL, Stampfer MJ and Willett WC: Trans fatty acids and coronary heart disease. N Engl J Med. 340: 1994-8, 1999.
13. European Food Safety Authority: Opinion of the Scientific Panel on Dietetic Products, Nutrition and Allergies on a request from the Commission related to the presence of *trans* fatty acids in foods and the effect on human health of the consumption of *trans* fatty acids. The EFSA Journal. 81: 1-49, 2004.

14. Booker CS and Mann JI: Trans fatty acids and cardiovascular health: Translation of the evidence base. *Nutr Metab Cardiovasc Dis.* 18: 448-56, 2008 Jul.
15. Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) final report. *Circulation.* 106: 3143-421, 2002.
16. 2005 Dietary Guidelines Advisory Committee: Nutrition and Your Health: Dietary Guidelines for Americans, in U.S. Department of Health and Human Services/U.S. Department of Agriculture: *Nutrition and Your Health: Dietary Guidelines for Americans*, 2005.
17. Clifton PM, Keogh JB and Noakes M: Trans fatty acids in adipose tissue and the food supply are associated with myocardial infarction. *J Nutr.* 134: 874-9, 2004.
18. National Academy of Sciences Institute of Medicine: Dietary reference intakes for energy, carbohydrates, fiber, fat, fatty acids, cholesterol, protein and amino acids. Washington, DC, National Academies Press, 2002.
19. Weggemans R, Rudrum M and Trautwein E: Intake of ruminant versus industrial trans fatty acids and risk of coronary heart disease – what is the evidence? *Eur J Lipid Sc Tech.* 106: 390-7, 2004.
20. Motard-Belanger A, Charest A, Grenier G, Paquin P, Chouinard Y, Lemieux S, Couture P and Lamarche B: Study of the effect of trans fatty acids from ruminants on blood lipids and other risk factors for cardiovascular disease. *Am J Clin Nutr.* 87: 593-599, 2008.
21. Willett W and Mozaffarian D: Ruminant or industrial sources of trans fatty acids: public health issue or food label skirmish? *Am J Clin Nutr.* 87: 515-516, 2008.
22. Health Canada: TRANSforming the food supply. Report of the *trans* fat task force. Ontario, Bureau of Nutritional Sciences, Health Canada, 2006.
23. Noakes M: Statement on trans fatty acids (unpublished). Adelaide, Australia, National Heart Foundation of Australia, 2004.
24. National Academy of Sciences Institute of Medicine: Dietary reference intakes for energy, carbohydrates, fiber, fat, fatty acids, cholesterol, protein and amino acids. Washington, DC, National Academies Press, 2005.
25. Griffin BA: How relevant is the ratio of dietary n-6 to n-3 polyunsaturated fatty acids to cardiovascular disease risk? Evidence from the OPTILIP study. *Curr Opin Lipidol.* 19: 57-62, 2008.
26. National Health and Medical Research Council: Nutrient Reference Values for Australia and New Zealand including Recommended Dietary Intakes. Canberra, NHMRC, 2006.
27. de Lorgeril M and Salen P: Dietary prevention of coronary heart disease: focus on omega-6/omega-3 essential fatty acid balance. *World Rev Nutr Diet.* 92: 57-73, 2003.

28. Lands WE: Dietary fat and health: the evidence and the politics of prevention: careful use of dietary fats can improve life and prevent disease. *Ann N Y Acad Sci.* 1055: 179-92, 2005.
29. Pischon T, Hankinson S, Hotamisligil G, Rifai N, Willett W and Rimm E: Habitual dietary intake of n-3 and n-6 fatty acids in relation to inflammatory markers among US men and women. *Circulation.* 108: 155-160, 2003.
30. Mozaffarian D, Ascherio A, Hu FB, Stampfer MJ, Willett WC, Siscovick DS and Rimm EB: Interplay between different polyunsaturated fatty acids and risk of coronary heart disease in men. *Circulation.* 111: 157-64, 2005.
31. Woodward M, Barzi F, Feigin V, Gu D, Huxley R, Nakamura K, Patel A, Ho S and Jamrozik K: Associations between high-density lipoprotein cholesterol and both stroke and coronary heart disease in the Asia Pacific region. *Eur Heart J.* 28: 2653-60, 2007.
32. Lewington S, Whitlock G, Clarke R, Sherliker P, Emberson J, Halsey J, Qizilbash N, Peto R and Collins R: Blood cholesterol and vascular mortality by age, sex, and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55,000 vascular deaths. *Lancet.* 370: 1829-39, 2007.
33. Weggemans RM, Zock PL and Katan MB: Dietary cholesterol from eggs increases the ratio of total cholesterol to high-density lipoprotein cholesterol in humans: a meta-analysis. *Am J Clin Nutr.* 73: 885-91, 2001.
34. Hu FB, Manson JE and Willett WC: Types of dietary fat and risk of coronary heart disease: a critical review. *J Am Coll Nutr.* 20: 5-19, 2001.
35. McNamara DJ: Eggs and heart disease risk: perpetuating the misperception. *Am J Clin Nutr.* 75: 333-5, 2002.
36. Kratz M: Dietary cholesterol, atherosclerosis and coronary heart disease, in Starke K: *Handbook of Experimental Pharmacology. Volume 170*, 2005.
37. Natoli S, Markovic T, Lim D, Noakes M and Kostner K: Unscrambling the research: Eggs, serum cholesterol and coronary heart disease. *J Nutr Diet.* 64: 105-11, 2007.
38. Hu FB, Stampfer MJ, Rimm EB, Manson JE, Ascherio A, Colditz GA, Rosner BA, Spiegelman D, Speizer FE, Sacks FM *et al.*: A prospective study of egg consumption and risk of cardiovascular disease in men and women. *JAMA.* 281: 1387-94, 1999.
39. Qureshi AI, Suri FK, Ahmed S, Nasar A, Divani AA and Kirmani JF: Regular egg consumption does not increase the risk of stroke and cardiovascular diseases. *Med Sci Monit.* Jan;13(1):CR1-8, 2006.
40. Trichopoulos A, Psaltopoulou T, Orfanos P and Trichopoulos D: Diet and physical activity in relation to overall mortality amongst adult diabetics in a general population cohort. *J Intern Med.* 259: 583-91, 2006.

41. Coates AM and Howe PR: Edible nuts and metabolic health. *Curr Opin Lipidol.* 18: 25-30, 2007.
42. Kelly JH and Sabate J: Nuts and coronary heart disease: an epidemiological perspective. *Br J Nutr.* 96: S61-S67, 2007.
43. Hooper L, Summerbell CD, Higgins JP, Thompson RL, Clements G, Capps N, Davey S, Riemersma RA and Ebrahim S: Reduced or modified dietary fat for preventing cardiovascular disease. *Cochrane Database Syst Rev:* CD002137, 2001.
44. He K, Song Y, Daviglus ML, Liu K, Van Horn L, Dyer AR and Greenland P: Accumulated evidence on fish consumption and coronary heart disease mortality: a meta-analysis of cohort studies. *Circulation.* 109: 2705-11, 2004.
45. Whelton SP, He J, Whelton PK and Muntner P: Meta-analysis of observational studies on fish intake and coronary heart disease. *Am J Cardiol.* 93: 1119-23, 2004.
46. He K, Song Y, Daviglus ML, Liu K, Van Horn L, Dyer AR, Goldbourt U and Greenland P: Fish consumption and incidence of stroke: a meta-analysis of cohort studies. *Stroke.* 35: 1538-42, 2004.
47. Bouzan C, Cohen JT, Connor WE, Kris-Etherton PM, Gray GM, Konig A, Lawrence RS, Savitz DA and Teutsch SM: A quantitative analysis of fish consumption and stroke risk. *Am J Prev Med.* 29: 347-52, 2005.
48. Konig A, Bouzan C, Cohen JT, Connor WE, Kris-Etherton PM, Gray GM, Lawrence RS, Savitz DA and Teutsch SM: A quantitative analysis of fish consumption and coronary heart disease mortality. *Am J Prev Med.* 29: 335-46, 2005.
49. de Lorgeril M, Renaud S, Mamelle N, Salen P, Martin JL, Monjaud I, Guidollet J, Touboul P and Delaye J: Mediterranean alpha-linolenic acid-rich diet in secondary prevention of coronary heart disease. *Lancet.* 343: 1454-9, 1994.
50. de Lorgeril M, Salen P, Martin JL, Monjaud I, Delaye J and Mamelle N: Mediterranean diet, traditional risk factors, and the rate of cardiovascular complications after myocardial infarction: final report of the Lyon Diet Heart Study. *Circulation.* 99: 779-85, 1999.
51. Singh RB, Niaz MA, Sharma JP, Kumar R, Rastogi V and Moshiri M: Randomized, double-blind, placebo-controlled trial of fish oil and mustard oil in patients with suspected acute myocardial infarction: the Indian experiment of infarct survival-4. *Cardiovasc Drugs Ther.* 11: 485-91, 1997.
52. Dietary supplementation with n-3 polyunsaturated fatty acids and vitamin E after myocardial infarction: results of the GISSI-Prevenzione trial. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico. *Lancet.* 354: 447-55, 1999.
53. Yokoyama M, Origasa H, Matsuzaki M, Matsuzawa Y, Saito Y, Ishikawa Y, Oikawa S, Sasaki J, Hishida H, Itakura H *et al.*: Effects of eicosapentaenoic acid on major coronary events in hypercholesterolaemic patients (JELIS): a randomised open-label, blinded endpoint analysis. *Lancet.* 369: 1090-8, 2007.

54. von Schacky C, Angerer P, Kothny W, Theisen K and Mudra H: The effect of dietary omega-3 fatty acids on coronary atherosclerosis. A randomized, double-blind, placebo-controlled trial. *Ann Intern Med.* 130: 554-62, 1999.
55. Brouwer IA, Zock PL, Camm AJ, Bocker D, Hauer RN, Wever EF, Dullemeijer C, Ronden JE, Katan MB, Lubinski A *et al.*: Effect of fish oil on ventricular tachyarrhythmia and death in patients with implantable cardioverter defibrillators: the Study on Omega-3 Fatty Acids and Ventricular Arrhythmia (SOFA) randomized trial. *JAMA.* 295: 2613-9, 2006.
56. Brouwer I: SOFA: Study on Omega-3 Fatty acid and ventricular arrhythmia. http://www.escardio.org/knowledge/OnlineLearning/slides/ESC_Congress_2005/BrouwerFP1336, Presented at the Hotline II Session of the European Society of Cardiology meeting in Stockholm, 5 September 2005.
57. Macchia A, Levantesi G, Franzosi MG, Geraci E, Maggioni AP, Marfisi R, Nicolosi GL, Schweiger C, Tavazzi L, Tognoni G *et al.*: Left ventricular systolic dysfunction, total mortality, and sudden death in patients with myocardial infarction treated with n-3 polyunsaturated fatty acids. *Eur J Heart Fail.* 7: 904-9, 2005.
58. Marchioli R, Barzi F, Bomba E, Chieffo C, Di Gregorio D, Di Mascio R, Franzosi MG, Geraci E, Levantesi G, Maggioni AP *et al.*: Early protection against sudden death by n-3 polyunsaturated fatty acids after myocardial infarction: time-course analysis of the results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-Prevenzione. *Circulation.* 105: 1897-903, 2002.
59. Raitt M, Connor W, Morris C, Kron J, Halperin B, Chugh SS, McClelland J, Cook J, MacMurdy K, Swenson R *et al.*: Fish oil supplementation and risk of ventricular tachycardia and ventricular fibrillation in patients with implantable defibrillators: a randomized controlled trial. *JAMA.* 293: 2884-91, 2005.
60. Harris WS: n-3 fatty acids and serum lipoproteins: human studies. *Am J Clin Nutr.* 65: 1645S-1654S, 1997.
61. Milte C, Coates A, Buckley J, Hill A and Howe P: Dose-dependent effects of docosahexaenoic acid-rich fish oil on erythrocyte docosahexaenoic acid and blood lipid levels. *Br J Nutr.* Oct 31: 1-6, 2007.
62. Balk EM, Lichtenstein AH, Chung M, Kupelnick B, Chew P and Lau J: Effects of omega-3 fatty acids on serum markers of cardiovascular disease risk: a systematic review. *Atherosclerosis.* 189: 19-30, 2006.
63. Nestel P: Effects of fish oils and fish on cardiovascular disease. *Curr Atheroscler Rep.* 3: 68-73, 2001.
64. Nambi V and Ballantyne CM: Combination therapy with statins and omega-3 fatty acids. *Am J Cardiol.* 98: 34i-38i, 2006.
65. Durrington PN, Bhatnagar D, Mackness MI, Morgan J, Julier K, Khan MA and France M: An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia. *Heart.* 85: 544-8, 2001.

66. Nordoy A, Bonna KH, Nilsen H, Berge RK, Hansen JB and Ingebretsen OC: Effects of Simvastatin and omega-3 fatty acids on plasma lipoproteins and lipid peroxidation in patients with combined hyperlipidaemia. *J Intern Med.* 243: 163-70, 1998.
67. Nordoy A, Bonna KH, Sandset PM, Hansen JB and Nilsen H: Effect of omega-3 fatty acids and simvastatin on hemostatic risk factors and postprandial hyperlipemia in patients with combined hyperlipemia. *Arterioscler Thromb Vasc Biol.* 20: 259-65, 2000.
68. Chan DC, Watts GF, Barrett PH, Beilin LJ and Mori TA: Effect of atorvastatin and fish oil on plasma high-sensitivity C-reactive protein concentrations in individuals with visceral obesity. *Clin Chem.* 48: 877-83, 2002.
69. Meyer B, Hammervold T, Rustan A and Howe P: Dose-dependent effects of docosahexaenoic acid supplementation on blood lipids in statin-treated hyperlipidaemic subjects. *Lipids.* 42: 109-15, 2007.
70. Rumberger JA, Behrenbeck T, Breen JF and Sheedy PF, 2nd: Coronary calcification by electron beam computed tomography and obstructive coronary artery disease: a model for costs and effectiveness of diagnosis as compared with conventional cardiac testing methods. *J Am Coll Cardiol.* 33: 453-62, 1999.
71. Virtanen JK, Voutilainen S, Rissanen TH, Mursu J, Tuomainen TP, Korhonen MJ, Valkonen VP, Seppanen K, Laukkanen JA and Salonen JT: Mercury, fish oils, and risk of acute coronary events and cardiovascular disease, coronary heart disease, and all-cause mortality in men in eastern Finland. *Arterioscler Thromb Vasc Biol.* 25: 228-33, 2005.
72. Cohen JT, Bellinger DC, Connor WE, Kris-Etherton PM, Lawrence RS, Savitz DA, Shaywitz BA, Teutsch SM and Gray GM: A quantitative risk-benefit analysis of changes in population fish consumption. *Am J Prev Med.* 29: 325-34, 2005.
73. Mozaffarian D and Rimm EB: Fish intake, contaminants, and human health: evaluating the risks and the benefits. *JAMA.* 296: 1885-99, 2006.
74. Therapeutic Goods Administration: Compositional guideline. Fish oil from the liver of fish, Department of Health and Ageing, 2000.
75. Food Standards Australia New Zealand: Dioxins in food. Dietary exposure assessment and risk characterisation: *Technical Report Series.* Canberra, FSANZ, May 2004.
76. Normen L, Holmes D and Frohlich J: Plant sterols and their role in combined use with statins for lipid lowering. *Curr Opin Investig Drugs.* Mar;6: 307-16, 2005.
77. Miettinen T, Puska P, Gylling H, Vanhanen H and Vartiainen E: Reduction of serum cholesterol with sitostanol-ester margarine in a mildly hypercholesterolemic population. *N Engl J Med.* 333: 1308-12, 1995.
78. Brink E and Hendriks H: Long-term follow-up study on the use of a spread enriched with plant sterols, TNO report, V 99.869, Nutrition and Food Research Institute, 2000.

79. Law M: Plant sterol and stanol margarines and health. *BMJ*. Mar 25;320: 861-4, 2000.
80. Maki K, Davidson M, Umporowicz D, Schaefer E, Dicklin M, Ingram K, Chen S, McNamara J, Gebhart B, Ribaya-Mercado J *et al.*: Lipid responses to plant-sterol-enriched reduced-fat spreads incorporated into a National Cholesterol Education Program Step I diet. *Am J Clin Nutr*. 74: 33-43, 2001.
81. Clifton P, Noakes M, Sullivan D, Erichsen N, Ross D, Annison G, Fassoulakis A, Cehun M and Nestel P: Cholesterol-lowering effects of plant sterol esters differ in milk, yoghurt, bread and cereal. *Eur J Clin Nutr*. Mar;58: 503-9, 2004.
82. Goncalves S, Maria A, Silva A, Martins-Silva J and Saldanha C: Phytosterols in milk as a depressor of plasma cholesterol levels: experimental evidence with hypercholesterolemic Portuguese subjects. *Clin Hemorheol Microcirc*. 35: 251-5, 2006.
83. Nestel P, Cehun M, Pomeroy S, Abbey M and Weldon G: Cholesterol-lowering effects of plant sterol esters and non-esterified stanols in margarine, butter and low-fat foods. *Eur J Clin Nutr*. Dec;55: 1084-90, 2001.
84. Clifton P, Noakes M, Ross D, Fassoulakis A, Cehun M and Nestel P: High dietary intake of phytosterol esters decreases carotenoids and increases plasma plant sterol levels with no additional cholesterol lowering. *J Lipid Res*. Aug;45: 1493-9, 2004.
85. Noakes M, Clifton P, Doornbos A and Trautwein E: Plant sterol ester-enriched milk and yoghurt effectively reduce serum cholesterol in modestly hypercholesterolemic subjects. *Eur J Nutr*. Jun;44: 214-22, 2005.
86. Plat J, van Onselen E, van Heugten M and Mensink R: Effects on serum lipids, lipoproteins and fat soluble antioxidant concentrations of consumption frequency of margarines and shortenings enriched with plant stanol esters. *Eur J Clin Nutr*. Sep;54: 671-7, 2000.
87. Matvienko O, Lewis D, Swanson M, Arndt B, Rainwater D, Stewart J and Alekel D: A single daily dose of soybean phytosterols in ground beef decreases serum total cholesterol and LDL cholesterol in young, mildly hypercholesterolemic men. *Am J Clin Nutr*. Jul;76: 57-64, 2002.
88. Simons L: Additive effect of plant sterol-ester margarine and cerivastatin in lowering low-density lipoprotein cholesterol in primary hypercholesterolemia. *Am J Cardiol*. Oct 1;90: 737-40, 2002.
89. Blair S, Capuzzi D, Gottlieb S, Nguyen T, Morgan J and Cater N: Incremental reduction of serum total cholesterol and low-density lipoprotein cholesterol with the addition of plant stanol ester-containing spread to statin therapy. *Am J Cardiol*. Jul 1;86: 46-52, 2000.
90. Neil H, Meijer G and Roe L: Randomised controlled trial of use by hypercholesterolaemic patients of a vegetable oil sterol-enriched fat spread. *Atherosclerosis*. Jun;156: 329-37, 2001.

91. O'Neill F, Brynes A, Mandeno R, Rendell N, Taylor G, Seed M and Thompson G: Comparison of the effects of dietary plant sterol and stanol esters on lipid metabolism. *Nutr Metab Cardiovasc Dis.* Jun;14: 133-42, 2004.
92. Cabezas M, de Vries J, Van Oostrom A, Iestra J and van Staveren W: Effects of a stanol-enriched diet on plasma cholesterol and triglycerides in patients treated with statins. *J Am Diet Assoc.* Oct;106: 1564-9, 2006.
93. Gylling H and Miettinen T: Effects of inhibiting cholesterol absorption and synthesis on cholesterol and lipoprotein metabolism in hypercholesterolaemic non-insulin dependent diabetic men. *J Lipid Res.* 37: 1776-85, 1996.
94. Gylling H, Radhakrishnan R and Miettinen T: Reduction of serum cholesterol in postmenopausal women with previous myocardial infarction and cholesterol malabsorption induced by dietary sitostanol ester margarine: women and dietary sitostanol. *Circulation.* 96: 4226-31, 1997.
95. Heinemann T, Axtmann G and von Bergmann K: Comparison of intestinal absorption of cholesterol with different plant sterols in man. *Eur J Clin Invest.* Dec;23(12):827-31: 827-31, 1993.
96. Salen G, Ahrens E and Grundy S: Metabolism of beta-sitosterol in man. *J Clin Invest.* 49: 952-67, 1970.
97. Hepburn P, Horner S and Smith M: Safety evaluation of phytosterol-esters. Part 2. Sub-chronic 90-day oral toxicity study on phytosterol-esters - a novel functional food. *Food Chem Toxicol.* 37: 521-32, 1999.
98. Baker V, Hepburn P, Kennedy S, Jones P, Lea L, Sumpter J and Ashby J: Safety evaluation of phytosterol-esters. Part 1. Assessment of oestrogenicity using a combination of *in vivo* and *in vitro* methods. *Food Chem Toxicol.* 37: 13-22, 1999.
99. Waalkens-Berendsen D, Wolterbeek A, Wijnands M, Richold M and Hepburn P: Safety evaluation of phytosterol-esters. Part 3. Two generation reproductive study with phytosterol-esters in rats – a novel functional food. *Food Chem Toxicol.* 37: 683-96, 1999.
100. Hendriks H, Weststrate J, van Vliet T and Meijer G: Spreads enriched with three different levels of vegetable oil sterols and the degree of cholesterol lowering in normocholesterolaemic and mildly hypercholesterolaemic subjects. *Eur J Clin Nutr.* 53: 319-27, 1999.
101. Christiansen L, Lahteenmaki P, Mannelin M, Seppanen-Laakso T, Hiltunen R and Yliruusi J: Cholesterol lowering effect of spreads enriched with microcrystalline plant sterols in hypercholesterolaemic subjects. *Eur J Nutr.* 40: 66-73, 2001.
102. Plat J and Mensink R: Vegetable oil based versus wood based stanol ester mixtures: effects on serum lipids and hemostatic factors in non-hypercholesterolaemic subjects. *Atherosclerosis.* Jan;148: 101-112, 2000.

103. Ayesh R, Weststrate J, Drewitt P and Hepburn P: Safety evaluation of phytosterol esters. Part 5. Faecal short-chain fatty acid and microflora content, faecal bacterial enzyme activity and serum female sex hormones in healthy normolipidaemic volunteers consuming a controlled diet either with or without a phytosterol ester-enriched margarine. *Food Chem Toxicol.* 37: 1127-38, 1999.
104. Weststrate J, Ayesh R, Bauer-Plank C and Drewitt P: Safety evaluation of phytosterol-esters. Part 4. Faecal concentrations of bile acids and neutral sterols in healthy normolipidaemic volunteers consuming a controlled diet either with or without a phytosterol-ester enriched margarine. *Food Chem Toxicol.* 37: 1063-71, 1999.
105. Gylling H, Puska P, Vartiainen E and Miettinen T: Retinol, vitamin D, carotenes and alpha-tocopherol in serum of a moderately hypercholesterolemic population consuming sitostanol ester margarine. *Atherosclerosis.* Aug;145: 279-85, 1999.
106. Weststrate J and Meijer G: Plant sterol-enriched margarines and reduction of plasma total- and LDL-cholesterol concentrations in normocholesterolaemic and mildly hypercholesterolaemic subjects. *Eur J Clin Nutr.* 52: 334-43, 1998.
107. Davidson M, Maki K, Umporowicz D, Ingram K, Dicklin M, Schaefer E, Lane R, McNamara J, Ribaya-Mercado J, Perrone G *et al.*: Safety and tolerability of esterified phytosterols administered in reduced-fat spread and salad dressing to healthy adult men and women. *J Am Coll Nutr.* 20: 307-19, 2001.
108. Noakes M, Clifton P, Ntanos F, Shrapnel W, Record I and McLnerney J: An increase in dietary carotenoids is effective in preventing the reduction in plasma carotenoid concentrations from plant sterol-enriched margarines. *Am J Clin Nutr.* 75: 79-86, 2002.
109. Salen G, Kwiterovich PJ, Shefer S, Tint G, Horak I, Shore V, Dayal B and Horak E: Increased plasma cholestanol and 5a-saturated plant sterol derivatives in subjects with sitosterolemia and xanthomatosis. *J Lipid Res.* 26: 203-9, 1985.
110. National Health and Medical Research Council: A guide to the development, implementation and evaluation of clinical practice guidelines. Canberra, NHMRC, 1999.